nuSTORM decay ring

J.B. Lagrange
ISIS, RAL, STFC

Contents

- nuSTORM facility
- Decay ring

Contents

- nuSTORM facility
- Decay ring

nuSTORM facility



- 100 GeV protons from SPS
- Fast extraction at LSS6, 4×10^{19} protons/year

Science and Technology Facilities Council

Proton target

- Similar scheme than FNAL proposal
- ~200 kW proton beam power
- Magnetic horn focusing system
- Graphite target
- Target-horn configuration to be optimised
- Radiation protection study needed



LAGUNA-LBNO project

Pion beam transport line

- Short pion beam line from target to the decay ring
- Capture, transport and match of the beam
- Minimise residual dose in main cavern
- Beam line to be optimised



(C. Hunt, 22/10/19, CERN)

Contents

- nuSTORM facility
- Decay ring

Injection in decay ring



- Stochastic injection (D. Neuffer's concept, 1980)
- Pions injected without kicker

Decay ring

- Several options considered
  - FODO solution
  - FFA solution
  - Hybrid solution

FODO decay ring

- Pros:
  - Straight forward solution: large bore conventional magnets, no R&D required
  - Large transverse acceptance (limited by magnet size)
- Cons:
  - Small momentum acceptance (limited by beam dynamics)
  - Large and uncontrolled losses

Addition of carefully adjusted sextupoles in the arcs: ~10% improvement

FFA decay ring

- Pros:
  - Very large momentum acceptance with zero-chromaticity (limited by magnet size)
  - Large transverse acceptance (limited by beam dynamics and magnet aperture)
- Cons:
  - Larger magnets
  - Superconducting combined function magnets: R&D required
  - Scallop in production straight
  - Dispersion in production straight (reduced pion capture)



Science and Technology Facilities Council

Hybrid decay ring

FODO solution in production straight, FFA magnets in the rest of the ring

- No scallop in production straight
- Efficient pion capture (zero-dispersion in production straight)
- Large momentum acceptance (small chromaticity in the ring)
- Large transverse acceptance (same than FFA solution)

But

- Large magnets
- Superconducting combined function magnets: R&D required

Hybrid decay ring



±16% momentum acceptance

Science and Technology Facilities Council

Hybrid decay ring





±16% momentum acceptance

Science and Technology Facilities Council

Hybrid decay ring



horizontal



vertical

At matched momentum

Summary

- nuStorm facility has no show stoppers, strong interest at CERN.
- Decay ring presents good performance in terms of muon 6D acceptance, need for computing the resulting neutrino flux to estimate the physics reach achievable with this level of performance.